Aquatic Ecosystems and Environmental Frontiers, Volume 4, Issue 1, March 2026 *ISSN: 3049-186X*
https://doi.org/10.70102/AEEF/V4I1/AF260115

The Role of Fishery and Aquaculture Innovations in Enhancing Global Food Security

[1*] Thanawat Prasert, Mekong Innovation Development Centre, Chiang Mai, Thailand.

[2] Arisa Boonmee, Mekong Innovation Development Centre, Chiang Mai, Thailand.

Abstract: Global food security is threatened by population growth, climate variability, degradation of resources, and limited inputs. Fisheries and aquaculture systems are key parts of the solution, providing accessible, highly bioavailable proteins and micronutrients to at-risk people globally, as well as other benefits. This paper reviews the potential of new technological and management interventions to increase global aquatic food security resilience to challenges to the system from new threats. These include Recirculating Aquaculture Systems (RAS), genetic and selection programs, cellular aquaculture, precision fisheries analysis, and functional feed formulations. These interventions can increase efficiency by up to 35% improvement in FCR, survival, and production stability to climate change and limited input conditions. Trade-offs with the environment, from use of water, discharge to, interaction with, and other impacts are compared with Macro-economic effects of cost-benefit, access and job creation, and governance mechanisms, policy coordination, and infrastructure required to allow small-scale and industrial producers to share in benefits. Modeling long-term global supply indicates that an innovation intensification path is possible, producing more than 50% increase compared with the trend by 2045 to combat projected protein deficits. A strategy matrix to align policy and investments to achieve renewable-powered infrastructure and inclusive governance to support rapid blue transformation is recommended for policymakers.

Keywords: Aquaculture Innovations; Precision Fisheries; Food Security; Recirculating Aquaculture Systems (RAS); Sustainable Intensification; Trophic Blue Transformation.

(Submitted: December 29, 2025; Revised: February 03, 2026; Accepted: March 06, 2026; Published: March 31, 2026)

I. Introduction

Sustainable global food supply systems present perhaps the greatest imperative of the 21st century. Projections suggest that the global population could reach 9.7 billion by mid-century, requiring total food and nutrient provision to rise commensurately (Krause et al., 2022). Traditional terrestrial livestock production systems have come under intense pressure on account of finite land resources, huge freshwater consumption, and disproportionately high GHG emission intensities. Aquatic food systems (both marine and freshwater production systems) have historically acted as "ultima ratio" safeguards of micronutrient and macronutrient supply to humanity, most importantly for SIDS and coastal states, for which access to blue foods is paramount (Pradeepkiran, 2019). The formerly unimpeded extraction trajectories of wild-capture fisheries are no longer viable, with 35.1% of assessed global marine fish stocks classified as overexploited or biologically unsustainable.

To offset stagnant wild-capture yields, aquaculture is the most rapidly growing food production system on the planet. Conventional aquaculture has been historically unsustainable due to local external environmental costs associated with biogenic mangrove buffer destruction, widespread eutrophication from effluent discharge, and heavy dependence on wild-caught fish for fishmeal and fish oil production (Partelow et al., 2022). It is clear that there is an imminent need to embark on a purposeful technological shift; that is, moving from the current production paradigm towards innovation-driven, value-based production to secure global food streams (Fatem, 2024; Madhanraj, 2025).

Opportunities provided by advances in precision engineering, molecular genetics, big data analytics, and biotechnology are revolutionizing the way we conceive and practice blue foods. Innovations such as terrestrial Recirculating Aquaculture Systems (RAS), satellite-guided autonomous fishing vessel, and AI-driven automatic acoustic feed dispensers, insect-based protein sources are transforming production constraints (Honarmand Ebrahimi et al., 2021). Systematically adopting these advances has the capacity to

optimize resource efficiency, minimize local environmental external costs, and enhance food supply resilience against critical climate events such as marine heat waves, sea-level rise, and target fish stock migration. Increased bioavailable protein availability within planetary limits is thus an achievable outcome (Troell et al., 2023).

This manuscript will critically examine and systematically assess modern fishery and aquaculture innovations that have the potential to address the imbalance of global food security. Direct contributions to resource stabilization, productivity gains, and waste reduction through these technologies will be explicitly quantified using empirical data from various biotic regions. Furthermore, key socio-economic barriers to technology adoption will be considered to address where policy intervention will yield the most effective positive impacts on global science.

The paper is structured into six discrete sections. Section II will detail the materials and methodology applied to spatial data compilation and analysis, including the concept for workflow execution (represented in a diagram). Section III will highlight key results from empirical analysis, presented both in a performance comparison table and through the display of a longitudinal yield projection graph. Section IV will discuss the socio-economic, nutritional, and environmental benefits gained from the innovative technologies. Section V will offer concluding remarks, including practical policy recommendations based on the research findings

II. Materials and Methods

A broad macro-analytical research design approach was utilized for the assessment of the effectiveness and sustainability of innovations of fisheries and aquaculture under different agro-ecological settings. A longitudinal dataset over the 2015–2025 period was utilized for model calibration and empirical analysis. Generalized additive models have been constructed on the dataset to simulate the projected future supply scenario between 2020 and 2045 under differing adoption scenarios, sourced from the World Bank Open Data platform, FAO State of World Fisheries and Aquaculture (SOFIA) reports, and the World Resources Institute (WRI), to ensure global spread across varied geolocations and production types. Targeted innovations have been segmented into three main functional areas. First, Intensive Closed Production Networks include a range of high stocking density, water-saving, and environmentally-friendly technology: multi-tier Recirculating Aquaculture Systems (RAS) and advanced biofloc installations. Second, Precision Seafood Catch and Farm Analytics includes a variety of IoT sensor networks and the combination of AI-based biomass estimation with satellite-based telemetry for monitoring, harvesting, and management of resources. Third, Biotech-driven inputs include CRISPR-Cas9-based genetic improvement, non-marine feed alternatives, and cell-based tissue synthesis for high-yield production with diminished reliance on marine feed stocks. Key performance indicators of each innovation, including FCRs, operation efficiencies, and carbon equivalent intensity, have been numerically estimated and verified using life-cycle assessment protocols, and environmental output such as nitrogen and phosphorus loadings per ton output have been systematically measured and reported. The potential future supply scenarios under varied environmental conditions were projected with Generalized Additive Models (GAMs), incorporating both oceans warming index and location-specific adoption curves as dynamic input factors. The process of the whole analysis, from the collection of data to empirically testing the models and synthesizing findings into policy recommendations, is presented in figure 1 for a clear conceptual understanding of the analytical procedures. In this figure 1 shows a diagram of a structured workflow approach designed for evaluating the global fisheries and aquaculture innovation systems. Data sources will be collected and integrated to analyze multi-source information, and will include longitudinal production and economic data derived from FAO SOFIA databases, World Bank economic indexes, life-cycle assessment measures, and biotech feed inputs. Data will then be categorized and normalized. The technologies analyzed include integrated systems with closed RAS and biofloc, as well as IoT and AI-based monitored systems (i.e., Precision technology), Biotech and cellular inputs, and traditional systems as control, which aims to compare different kinds of production systems in varying geographical locations.




Figure 1: Methodological Framework for Evaluating Global Aquaculture Innovation Systems

The data will then be quantitatively interpolated and evaluated through multi-variable ANOVA testing, generalized additive modeling, feed conversion efficiency analysis, and projection of effluent dispersion to illustrate system performance, operational efficiency, and environmental performance. The outcomes will be summarized by the generation of output metrics and validation through projection on yield stability and construction of a policy optimization matrix, which relates to empirical findings to decision-making action.

III. Results

In general, large differences can be identified between both innovative production systems and baselines regarding production efficiency and environmental performance. Precision technologies combined with engineered environments present a better utilization efficiency in all primary parameters. Table 1 summarizes the quantified comparison of operational parameters:

Table 1: Operational Efficiency Indicators and Environmental Performance Metrics of Innovative vs. Conventional Aquatic Production Models

Production System Profile	Mean Feed Conversion Ratio (FCR)	Water Reuse Efficiency Rate (%)	Effluent Dissolved Nitrogen (kg/t)	Carbon Equivalent Intensity (CO_2-eq)
Recirculating Aquaculture (RAS)	1.12	98.5%	4.2	Low to Medium
Precision Biofloc Installations	1.24	85.2%	8.7	Very Low
AI-Optimized Cage Aquaculture	1.38	N/A (Open)	18.1	Medium
Conventional Net-Pen Systems	1.75	N/A (Open)	36.4	High

Compared with baselines and innovative production systems, in general, it shows a big difference. The combined application of precision technologies with engineered environments gives better utilization efficiency of all primary parameters. Quantitative analysis on operational parameters can be seen from table 1.




Figure 2: Longitudinal Projections of Global Aquatic Protein Production

In order to quantify the future long-term contribution of these innovations to global food security, the trajectories for seafood yield were modeled under the scenarios of the innovation adoption and business as usual from 2020-2045, with the model calibrated as above. Figure 2 compares a pathway that utilizes Innovation-Driven Intensification and a Business-As-Usual scenario. Following the Innovation-Driven Intensification pathway that implies an adoption rate of 5% yearly increase for technologies such as Recirculating Aquaculture Systems (RAS), precise monitoring tools and alternative feeding inputs, the global production is modeled to be around 295 million tons of seafood by 2045, 52% higher than Business-As-Usual scenario that has been leveling off at the level near 195 million tons due to negative feedbacks from environmental limit, resource constraints and production inefficiency, an increasing yield from technological intensification, improved feed conversion efficiency, better farm management and increasing stability of the systems in the face of climate variability could narrow down the deficit of protein in a long run due to high population growth, a high dependence on aquatic protein and volatility of terrestrial agriculture systems particularly in the developing world.

IV. Discussion

It can be seen from the empirical results that technological innovation is a key to the global seafood industry's sustainable transition. From the result data provided, which shows improvements in Feed Conversion Ratio, precision feeding technologies, i.e., Automated acoustic sensors and real-time camera-based biomass assessment, have a solution for previous resource inefficiency (Tsarau et al., 2024). Matching feeding time to real-time school satiation behaviours of fish ensures that food is not uneaten and subsequently wasted. Reduced waste feed reduces costs and minimizes the problem of organic deposition onto the seabed that could have resulted in seabed hypoxia.

Decoupling aquaculture from the marine feed sources is a primary environmental benefit to the ocean itself. Replacing wild-caught forage fish with a more diversified profile of feed proteins, i.e., larvae meals from soldier fly (Hermetia illucens), single-cell bacterial protein biomass, and lipid-rich microalgal oil, can ease the pressure on extraction from lower trophic level wild fisheries (Froehlich et al., 2018). Such a shift in feed inputs helps maintain ocean trophic structure, leaving abundant food sources for higher trophic level predators and mammals (Debnath, 2025; Naylor et al., 2021). Such a shift completely rewrites the role of aquaculture from a user of the marine environment to that of a prime producer of global net protein.

There are obstacles in establishing and maintaining land-based RAS production: The initial investment for building these land-based production facilities is significant, and they require constant power inputs to support water recirculation pumps and multiple stage filtration (Wang et al., 2023). This power requirement would only increase operating carbon emissions unless powered by the grid from a predominantly fossil fuel-based network; therefore, future facilities would require direct integration with renewable power generation, such as a solar array or a co-located wind system, so that a scaling of this technology will not impede current global mitigation of climate change (Henriksson et al., 2021). Socio-economics, and their impact on the dissemination of technologies, are also a factor in the adoption of this technology. While high income countries are already adopting digital ocean sensors and land-based RAS systems, developing countries face obstacles such as financing and access, thus to avoid a technological gap international policy should develop targeted micro finance options, public-private partnerships and regional knowledge transfer networks Rometius & Wei, (2025) to promote access for small producers to implement sustainable intensification strategies and therefore support local food security networks (Garg et al., 2025).

V. Conclusion

The development and implementation of modern technologies for both fisheries and aquaculture is of utmost importance for enhancing the global food supply and meeting growing nutrition requirements. The adoption of Recirculating Aquaculture Systems (RAS), digital monitoring systems based on precise measurements and alternative feed formulations improves the efficiency of production, reduces the negative impact on environment and minimize risks in conditions of climate change and limitation of natural resources. Decoupling aquaculture food production from natural aquatic environments through technological solutions provides an assurance of reliable increase of global seafood production without detrimental consequences on the environment. Longitudinal forecast demonstrates that mass adoption of these innovations can result in an increase of global aquatic protein production by over 50% compared with a business-as-usual scenario, offering a viable strategy for filling the global protein gap. However, to capture the full potential of these innovations requires synergistic policy support aimed at ensure their accessible use among small scale farmers and less resourced producers. Incentives, investments (particularly on infrastructure like renewable energy-driven production systems), training and capacity building at local level are key to successful uptake. The integration of these technologies with ecosystem-based management and an appropriate consideration of ecological limits will ensure an adequate protection of aquatic resources and the stability of production systems. Coordinated global governance structures also play a critical role, as they can harmonize and support goals for a sustainable blue transformation, between food security demands and conservation needs. Ensuring technological, ecological and economic coherence and integration can contribute to the supply of a nutritionally rich product that serves human needs while respecting and preserving aquatic environments. All considered, the innovations described above are an essential means for developing efficient, sustainable and resilient aquatic food systems for the next generations.

References

[1] Krause, G., Le Vay, L., Buck, B. H., Costa-Pierce, B. A., Dewhurst, T., Heasman, K. G., ... & Strand, Å. (2022). Prospects of low trophic marine aquaculture contributing to food security in a net zero-carbon world. *Frontiers in Sustainable Food Systems*, *6*, 875509. https://doi.org/10.3389/fsufs.2022.875509

[2] Pradeepkiran, J. A. (2019). Aquaculture role in global food security with nutritional value: a review. *Translational Animal Science*, *3*(2), 903-910. https://doi.org/10.1093/tas/txz012

[3] Partelow, S., Schlüter, A., O Manlosa, A., Nagel, B., & Octa Paramita, A. (2022). Governing aquaculture commons. *Reviews in Aquaculture*, *14*(2), 729-750. https://doi.org/10.1111/raq.12622

[4] Honarmand Ebrahimi, S., Ossewaarde, M., & Need, A. (2021). Smart fishery: a systematic review and research agenda for sustainable fisheries in the age of AI. *Sustainability*, *13*(11), 1-20. https://doi.org/10.3390/su13116037

[5] Troell, M., Costa-Pierce, B., Stead, S., Cottrell, R. S., Brugere, C., Farmery, A. K., ... & Barg, U. (2023). Perspectives on aquaculture's contribution to the Sustainable Development Goals for improved human and planetary health. *Journal of the World Aquaculture Society*, *54*(2), 251-342. https://doi.org/10.1111/jwas.12946

[6] Tsarau, A., Su, B., Moe Føre, H., Tobias Slette, H., Vennell, R., Janssen, G., ... & Black, S. (2024, June). Technological feasibility Study and fish welfare considerations for novel structures in open Ocean aquaculture. In *International Conference on Offshore Mechanics and Arctic Engineering* (Vol. 87813, p. V004T05A007). American Society of Mechanical Engineers. https://doi.org/10.1115/omae2024-121623

[7] Froehlich, H. E., Jacobsen, N. S., Essington, T. E., Clavelle, T., & Halpern, B. S. (2018). Avoiding the ecological limits of forage fish for fed aquaculture. *Nature Sustainability*, *1*(6), 298-303. https://doi.org/10.1038/s41893-018-0077-1

[8] Wang, Q., Rossignoli, C. M., Dompreh, E. B., Su, J., Ali, S. A., Karim, M., & Gasparatos, A. (2023). Sustainable intensification of small-scale aquaculture production in Myanmar through diversification and better management practices. *Environmental Research Letters*, *18*(1), 015002. https://doi.org/10.1088/1748-9326/acab16

[9] Henriksson, P. J. G., Troell, M., Banks, L. K., Belton, B., Beveridge, M. C. M., Klinger, D. H., ... & Tran, N. (2021). Interventions for improving the productivity and environmental performance of global aquaculture for future food security. *One Earth*, *4*(9), 1220-1232. https://doi.org/10.1016/j.oneear.2021.08.009

[10] Rometius, S., & Wei, X. (2025). Blue Horizons for Resilient Islands: Legal–Technological Synergies Advancing SDG 7 and 13 Through the UNCLOS–Paris Agreement Integration in SIDS'Energy Transitions. *Sustainability*, *17*(13), 6011. https://doi.org/10.3390/su17136011

[11] Garg, R., Rajput, P., Vibhandik, J., Ali, A., & Abrar, I. (2025). Advances in ai-driven biomass processing: a review of conversion technologies, optimization strategies, and smart energy integration. *ACS omega*, *10*(42), 49300-49320. https://doi.org/10.1021/acsomega.5c05427

[12] Fatem, B. F. (2024). Smart Urban Agriculture and Vertical Farming Systems: Integrating Technological Innovation for Sustainable Food Production and Nutritional Equity. *National Journal of Food Security and Nutritional Innovation*, *2*(1), 42-49.

[13] Debnath, C. (2025). Integrated Multi-trophic Freshwater Aquaculture: Synergistic Effects of Carp, Freshwater Mussel, and Water Lily. *International Journal of Environmental Research*, *19*(5), 216. https://doi.org/10.1007/s41742-025-00897-2

[14] Madhanraj. (2025). Effects of Climate Warming and Acidification on Aquatic Food Web Structure and Productivity. *Journal of Aquatic Ecology and Environmental Sustainability, 2(*2), 23–29. https://doi.org/10.70102/ijares/v5i2/5-2-60

[15] Naylor, R. L., Kishore, A., Sumaila, U. R., Issifu, I., Hunter, B. P., Belton, B., ... & Crona, B. (2021). Blue food demand across geographic and temporal scales. *Nature communications*, *12*(1), 5413. https://doi.org/10.1038/s41467-021-25516-4